

SUPPLEMENTARY DATA

Number	Gender	Ys	Diagnostic results	Specific methods for postoperative traditional Chinese medicine treatment	Complications during hospitalization	Hospitalization days	Postoperative pain assessment	Postoperative analgesia	Antibiotic use	Plasma drainage tube treatment
1	female	36	acute suppurative appendicitis with fecal stone embedding	ear acupuncture, acupoint plaster, 4 days	no	4	mild pain	no analgesia	cefixime+ornidazole 4 days	no
2	female	20	acute suppurative appendicitis	no	no	9	severe pain	analgesic pump analgesia, 3 days	cefizoxime, ornidazole 3 days	no
3	male	36	acute suppurative appendicitis	acupoint plaster, partitioned moxibustion therapy, acupoint plaster, 6 days	no	12	mild pain	no analgesia	cefizoxime+ornidazole 7 days	no
4	female	45	chronic appendicitis acute attack	partitioned moxibustion treatment, acupoint plaster, 6 days	no	16	no pain	no analgesia	ceftriaxone+ornidazole 7 days	no
5	male	31	chronic appendicitis	no	no	6	moderate pain	analgesic pump analgesia, 3 days	cefizoxime, ornidazole 5 days	no
6	male	19	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, partitioned moxibustion therapy, 4 days	no	7	mild pain	no analgesia	cefizoxime 5 days	no
7	female	65	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	partitioned moxibustion treatment, 3 days	no	8	mild pain	tramadol once, 1 day	cefizoxime, ornidazole 5 days	no
8	female	56	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	ear acupuncture, acupoint plaster, partitioned moxibustion therapy, 6 days	intestinal stickiness	8	no pain	no analgesia	cefizoxime+ornidazole 7 days	plasma drainage tube, 7 days
9	female	37	acute suppurative appendicitis accompanied by appendicitis	acupoint plaster, partitioned moxibustion therapy, 6 days	no	8	no pain	no analgesia	cefixime+ornidazole 6 days	plasma drainage tube, 6 days
10	male	61	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	no	no	8	moderate pain	analgesic pump analgesia, 3 days, tramadol once	cefizoxime, ornidazole 5 days	no
11	female	51	acute suppurative appendicitis accompanied by appendicitis	acupoint plaster, partitioned moxibustion therapy, 6 days	no	6	no pain	no analgesia	cefixime 6 days	plasma drainage tube, 6 days
12	male	27	chronic appendicitis acute attack	acupoint plaster, 4 days, partitioned moxibustion treatment 2 times	no	6	mild pain	no analgesia	cefizoxime+ornidazole 3 days	no
13	male	49	acute suppurative appendicitis accompanied by peripheral membrane inflammation	partitioned moxibustion treatment	no	9	severe pain	analgesic pump analgesia, 3 days	cefizoxime 5 days, levofloxacin 4 days	no
14	male	27	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	partitioned moxibustion treatment, acupoint plaster, 6 days	no	7	mild pain	no analgesia	cefizoxime 5 days	no
15	female	37	acute suppurative appendicitis accompanied by appendicitis	acupoint plaster, partitioned moxibustion therapy, 6 days	no	6	mild pain	no analgesia	cefizoxime+ornidazole 4 days	plasma drainage tube, 4 days
16	female	38	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	partitioned moxibustion treatment 2 times	no	6	severe pain	analgesic pump analgesia, 3 days	cefizoxime, ornidazole 1 day	no
17	male	20	chronic appendicitis acute attack	moxibustion therapy, acupoint plaster, 6 days	no	10	mild pain	no analgesia	cefixime 6 days	no
18	female	47	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, partitioned moxibustion therapy, 6 days	intestinal stickiness	8	mild pain	no analgesia	cefizoxime+ornidazole 5 days	plasma drainage tube, 5 days
19	female	53	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	moxibustion treatment 2 times	no	8	moderate pain	analgesic pump analgesia, 3 days	cefizoxime, ornidazole 5 days	no
20	female	6	acute suppurative appendicitis accompanied by diffuse peritonitis and fecal stone entrapment	ear acupuncture, acupoint plaster, partitioned moxibustion treatment, 3 days	no	10	mild pain	analgesic pump analgesia, 1 day	ceftriaxone 3 days	plasma drainage tube, 8 days
21	female	32	acute suppurative appendicitis	ear acupuncture, acupoint plaster, 4 days	no	4	mild pain	no analgesia	cefixime+ornidazole 4 days	no
22	female	50	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	moxibustion treatment, acupoint plaster, 6 days	no	8	mild pain	no analgesia	cefixime+ornidazole 6 days	no
23	male	34	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	no	no	6	severe pain	analgesic pump analgesia, 3 days	cefizoxime, ornidazole 4 days	no
24	male	24	acute suppurative appendicitis accompanied by diffuse peritonitis	acupoint plaster, partitioned moxibustion therapy, 3 days	no	5	moderate pain	tramadol analgesia, 1 day	ceftriaxone 3 days	no
25	female	42	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	moxibustion treatment 2 times	no	7	severe pain	analgesic pump analgesia, 3 days, tramadol once	cefizoxime, ornidazole 5 days	plasma drainage tube, 2 days
26	female	57	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	ear acupuncture, acupoint plaster, 6 days	no	13	mild pain	no analgesia	cefizoxime+ornidazole 9 days	no
27	male	27	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, partitioned moxibustion therapy, 4 days	no	4	no pain	no analgesia	cefixime+ornidazole 4 days	plasma drainage tube, 4 days

28	female	71	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	no	6	moderate pain	analgesic pump analgesia, 3 days	cefazoxime, ornidazole 5 days	plasma drainage tube, 4 days
29	male	47	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	partitioned moxibustion therapy, acupoint plaster, 6 days	no	7	mild pain	no analgesia	ornidazole+levofloxacin 5 days	plasma drainage tube, 6 days
30	female	22	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, partitioned moxibustion therapy, 4 days	no	6	mild pain	tramadol analgesia, 1 day	cefazoxime+ornidazole 5 days	no
31	male	67	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	5	severe pain	analgesic pump analgesia, 3 days	cefazoxime, ornidazole 4 days	plasma drainage tube, 5 days
32	male	11	acute suppurative appendicitis	acupoint plaster, partitioned moxibustion therapy, 6 days	no	6	mild pain	no analgesia	cefazoxime 5 days	no
33	male	8	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, 6 days, partitioned moxibustion treatment	no	8	moderate pain	tramadol analgesia, 1 day	cefazoxime 7 days	plasma drainage tube, 6 days
34	male	27	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	5	mild pain	no analgesia	cefazoxime, ornidazole 2 days	plasma drainage tube, 2 days
35	male	39	acute suppurative appendicitis	acupoint plaster, partitioned moxibustion therapy, 4 days	no	5	no pain	no analgesia	ornidazole+cefazoxime 4 days	no
36	male	33	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, partitioned moxibustion therapy, 4 days	no	5	mild pain	no analgesia	ornidazole+cefazoxime 5 days	no
37	female	23	chronic appendicitis acute attack	moxibustion treatment, acupoint plaster, 6 days	no	7	mild pain	no analgesia	ornidazole+cefazoxime 6 days	no
38	male	16	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	7	severe pain	analgesic pump analgesia, 3 days, tramadol once	cefazoxime, ornidazole 5 days	no
39	male	26	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, partitioned moxibustion therapy, 4 days	no	8	moderate pain	tramadol analgesia, 1 day	cefazoxime+ornidazole 6 days	plasma drainage tube, 5 days
40	male	7	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	partitioned moxibustion treatment, acupoint plaster, 6 days	no	6	mild pain	tramadol analgesia, 1 day	cefazoxime 5 days	plasma drainage tube, 4 days
41	female	72	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	partitioned moxibustion treatment 1 time	no	7	moderate pain	analgesic pump analgesia, 3 days	cefazoxime, ornidazole 5 days	plasma drainage tube, 2 days
42	female	51	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	ear acupuncture, acupoint plaster, partitioned moxibustion therapy, 6 days	no	7	mild pain	no analgesia	ornidazole 1 day	no
43	male	24	diffuse peritonitis	ear acupuncture, acupoint plaster, 2 days	no	3	moderate pain	tramadol analgesia, 1 day	cefazoxime+ornidazole 1 day	no
44	male	55	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	4	severe pain	analgesic pump analgesia, 3 days, tramadol once	cefazoxime, ornidazole 2 days	no
45	male	30	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, partitioned moxibustion therapy, 6 days	no	7	mild pain	no analgesia	ornidazole+cefazoxime+levofloxacin 6 days	no
46	male	31	acute simple appendicitis	moxibustion treatment 2 times	no	6	severe pain	analgesic pump analgesia, 3 days	cefazoxime, ornidazole 5 days	no
47	male	49	acute suppurative appendicitis accompanied by diffuse peritonitis	ear acupuncture, acupoint plaster, 2 days	no	10	moderate pain	tramadol analgesia, 3 days	ornidazole 8 days	plasma drainage tube, 7 days
48	female	55	acute suppurative appendicitis accompanied by appendicitis	acupoint plaster, partitioned moxibustion therapy, 6 days	no	6	mild pain	no analgesia	ornidazole+cefazoxime 6 days	plasma drainage tube, 3 days
49	female	31	gangrenous appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	no	7	moderate pain	analgesic pump analgesia, 3 days	cefazoxime, ornidazole 5 days	plasma drainage tube, 3 days
50	female	53	acute suppurative appendicitis accompanied by appendicitis	ear acupuncture, acupoint plaster, partitioned moxibustion therapy, 3 days	no	5	mild pain	no analgesia	cefazoxime 2 days	no
51	female	50	chronic appendicitis acute attack	partitioned moxibustion therapy, acupoint plaster, 6 days	no	7	mild pain	no analgesia	cefazoxime 6 days	no
52	male	36	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	no	4	severe pain	analgesic pump analgesia, 3 days	cefazoxime, ornidazole 4 days	no
53	male	51	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, acupoint plaster, 6 days	no	8	mild pain	tramadol analgesia, 1 day	ornidazole 7 days	no
54	female	45	acute suppurative appendicitis accompanied by diffuse peritonitis	partitioned moxibustion therapy, ear acupuncture treatment, acupoint plaster, 6 days	no	6	mild pain	no analgesia	cefazoxime+ornidazole+cefazoxime 4 days	plasma drainage tube, 5 days

55	female	61	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	no	5	moderate pain	analgesic pump analgesia, 3 days	ceftiozoxime, omidazole 3 days	no
56	female	23	chronic appendicitis acute attack	moxibustion treatment, ear acupuncture, acupoint plaster, 2 days	no	4	mild pain	no analgesia	omidazole 2 days	no
57	male	30	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	therapy, 4 days	no	5	severe pain	tramadol analgesia, 1 day	omidazole+ceftiozoxime 4 days	plasma drainage tube, 5 days
58	female	46	acute suppurative appendicitis accompanied by appendicitis	ear acupuncture treatment, acupoint plaster, 4 days	no	6	mild pain	tramadol analgesia, 2 days	omidazole+ceftiozoxime 5 days	plasma drainage tube, 5 days
59	female	60	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	ear acupuncture, acupoint plaster, 4 days	no	5	mild pain	no analgesia	omidazole 2 days	no
60	female	19	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	no	no	8	severe pain	analgesic pump analgesia, 3 days	ceftiozoxime, omidazole 2 days	no
61	female	73	acute suppurative appendicitis accompanied by diffuse peritonitis and fecal stone entrapment	ear acupuncture, acupoint plaster, 6 days	no	7	mild pain	no analgesia	omidazole 4 days	plasma drainage tube, 6 days
62	male	43	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	no	no	7	severe pain	analgesic pump analgesia, 3 days	ceftiozoxime, omidazole 5 days	plasma drainage tube, 3 days
63	male	50	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, partitioned moxibustion therapy, 6 days	no	7	mild pain	no analgesia	omidazole+ceftiozoxime 6 days	plasma drainage tube, 4 days
64	female	18	chronic appendicitis acute attack	ear acupuncture, acupoint plaster, 6 days	no	8	no pain	no analgesia	ceftiozoxime+omidazole 3 days	no
65	female	47	chronic appendicitis acute attack	ear acupuncture	no	8	mild pain	no analgesia	omidazole+ceftiozoxime 6 days	no
66	female	45	chronic appendicitis acute attack	ear acupuncture	no	8	mild pain	no analgesia	omidazole+ceftiozoxime 6 days	no
67	male	51	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	11	severe pain	analgesic pump analgesia, 3 days, tramadol once	ceftiozoxime, omidazole 9 days	plasma drainage tube, 5 days
68	female	29	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	no	9	moderate pain	analgesic pump analgesia, 3 days	ceftiozoxime, omidazole 5 days	plasma drainage tube, 3 days
69	male	53	acute suppurative appendicitis accompanied by diffuse peritonitis	ear acupuncture, partitioned moxibustion therapy, acupoint plaster, 4 days	no	5	mild pain	no analgesia	omidazole+ceftiozoxime 4 days	no
70	female	29	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	ear acupuncture, acupoint plaster 4 days	no	6	mild pain	no analgesia	omidazole+ceftiozoxime 3 days	no
71	female	31	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	ear acupuncture	no	6	severe pain	analgesic pump analgesia, 3 days	ceftiozoxime, omidazole 4 days	no
72	female	33	acute suppurative appendicitis	ear acupuncture	no	6	severe pain	analgesic pump analgesia, 3 days	ceftiozoxime, omidazole 5 days	no
73	female	40	acute suppurative appendicitis	ear acupuncture, acupoint plaster, 6 days	intestinal stickiness	7	mild pain	analgesic pump analgesia, 3 days	ceftiozoxime 3 days	no
74	female	57	acute suppurative appendicitis	acupoint plaster, partitioned moxibustion therapy, 4 days	no	4	mild pain	no analgesia	omidazole+cefoxitin 4 days	no
75	male	40	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	ear acupuncture, acupoint plaster, 2 days	no	3	no pain	no analgesia	ceftiozoxime 3 days	no
76	female	46	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	9	moderate pain	analgesic pump analgesia, 3 days	ceftiozoxime 3 days	plasma drainage tube, 3 days
77	male	17	acute suppurative appendicitis	acupoint plaster, 6 days, partitioned moxibustion treatment	no	7	no pain	no analgesia	omidazole+ceftiozoxime 6 days	no
78	male	74	acute suppurative appendicitis accompanied by appendicitis	partitioned moxibustion treatment, scraping therapy, basic massage techniques, 3 days	no	5	no pain	no analgesia	ceftiozoxime+omidazole 3 days	no
79	male	26	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	7	moderate pain	analgesic pump analgesia, 3 days, tramadol 3 times	ceftiozoxime, omidazole 5 days	plasma drainage tube, 2 days
80	male	10	acute suppurative appendicitis accompanied by perforation and localized peritonitis	acupoint plaster, 6 days, partitioned moxibustion treatment 2 times	intestinal stickiness	6	mild pain	no analgesia	omidazole+ceftiozoxime 5 days	plasma drainage tube, 4 days
81	female	59	acute suppurative appendicitis accompanied by appendicitis	ear acupuncture, acupoint plaster, 4 days	no	6	mild pain	no analgesia	ceftiozoxime+omidazole 2 days	no
82	female	10	acute gangrenous appendicitis accompanied by peripheral mesangial inflammation.	no	no	7	severe pain	analgesic pump analgesia, 3 days	ceftiozoxime, omidazole 5 days	no
83	male	27	acute suppurative appendicitis accompanied by appendicitis	acupoint plaster, partitioned moxibustion therapy, 4 days	no	5	mild pain	no analgesia	omidazole+ceftiozoxime 4 days	no

84	male	16	acute suppurative appendicitis	ear acupuncture, acupoint plaster, 6 days	no	7	mild pain	tramadol analgesia, 1 day	ceftriaxone 2 days	plasma drainage tube, 5 days
85	female	35	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	6	moderate pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 4 days	no
86	male	13	acute appendicitis	acupoint plaster, partitioned therapy, 6 days	no	6	mild pain	no analgesia	ceftriaxone 5 days	no
87	male	24	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, 6 days	no	7	mild pain	no analgesia	ceftriaxone+ornidazole 2 days	no
88	female	22	acute suppurative appendicitis	moxibustion treatment 2 times	no	9	moderate pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 2 days	no
89	male	46	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, partitioned therapy, 6 days	no	9	severe pain	tramadol analgesia, 1 day	ornidazole+ceftriaxone 7 days	plasma drainage tube, 5 days
90	female	32	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, 6 days	no	7	mild pain	tramadol analgesia, 1 day	ornidazole+ceftriaxone 6 days	plasma drainage tube, 5 days
91	male	54	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, 4 days	no	6	mild pain	no analgesia	ceftriaxone+ornidazole 2 days	no
92	female	49	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	no	5	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 4 days	no
93	female	39	acute gangrenous appendicitis	ear acupuncture, acupoint plaster, partitioned moxibustion treatment, 3 days	no	3	mild pain	no analgesia	ceftriaxone+ornidazole 1 day	no
94	female	42	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	10	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 8 days	no
95	female	52	acute suppurative appendicitis	acupoint plaster, partitioned therapy, 6 days	no	6	no pain	no analgesia	ceftriaxone 5 days	no
96	female	40	chronic appendicitis acute attack	ear acupuncture, acupoint plaster, 4 days	no	6	mild pain	no analgesia	ceftriaxone+ornidazole 2 days	no
97	female	53	peripheral mesangial inflammation.	no	no	14	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole, levofloxacin 10 days	plasma drainage tube, 3 days
98	female	29	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, 6 days, partitioned moxibustion treatment	no	7	mild pain	no analgesia	ornidazole+ceftriaxone 6 days	plasma drainage tube, 4 days
99	female	24	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	6	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 4 days	no
100	male	43	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, partitioned therapy, 6 days	no	10	mild pain	tramadol analgesia, 1 day	ornidazole+ceftriaxone 7 days	plasma drainage tube, 3 days
101	female	10	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	traditional Chinese medicine hot moxibustion therapy, 6 days	no	8	mild pain	no analgesia	ceftriaxone 2 days	no
102	female	53	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	partitioned moxibustion treatment, acupoint plaster, 6 days	no	8	mild pain	tramadol analgesia, 1 day	ornidazole+ceftriaxone 6 days	plasma drainage tube, 3 days
103	male	33	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	6	severe pain	analgesic pump analgesia, 3 days, tramadol once	ceftriaxone, ornidazole 4 days	no
104	male	60	acute suppurative appendicitis accompanied by peritonitis	acupoint plaster, partitioned therapy, 4 days	no	5	mild pain	no analgesia	ceftriaxone 2 days	no
105	female	67	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	no	7	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 6 days	no
106	male	24	acute suppurative appendicitis accompanied by peritonitis	acupoint plaster, partitioned treatment 2 times	no	5	no pain	no analgesia	ornidazole+ceftriaxone 2 days	no
107	male	37	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, partitioned treatment, 4 days	no	5	mild pain	no analgesia	ceftriaxone 2 days	plasma drainage tube, 4 days
108	male	51	acute simple appendicitis	partitioned moxibustion treatment, acupoint plaster, 4 days	no	4	moderate pain	tramadol analgesia, 1 day	ornidazole 3 days	plasma drainage tube, 4 days
109	male	19	acute suppurative appendicitis with fecal stone embedding	ear acupuncture, acupoint plaster, 2 days	no	6	no pain	no analgesia	ornidazole+ceftriaxone 3 days	plasma drainage tube, 3 days
110	female	54	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	acupoint plaster, 3 times, partitioned moxibustion treatment	no	10	moderate pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 7 days	plasma drainage tube, 3 days
111	female	52	acute suppurative appendicitis accompanied by peritonitis	partitioned moxibustion treatment, acupoint plaster	no	4	no pain	no analgesia	ceftriaxone 2 days	no

112	male	55	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	intestinal stickiness	6	moderate pain	analgesic pump analgesia, 3 days	ceftriaxone, omidazole 4 days	no
113	female	52	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture	no	7	mild pain	no analgesia	omidazole+ceftriaxone 3 days	plasma drainage tube, 4 days
114	female	66	acute suppurative inflammation	ear acupuncture	no	5	mild pain	no analgesia	omidazole+ceftriaxone 3 days	no
115	female	60	acute suppurative inflammation	ear acupuncture	no	5	mild pain	no analgesia	omidazole+ceftriaxone 3 days	no
116	female	53	acute suppurative appendicitis with periappendiceal mesentery	ear acupuncture, acupoint plaster, 2 days	no	4	mild pain	no analgesia	ceftriaxone+omidazole 1 day	no
117	male	25	chronic appendicitis	no	intestinal stickiness	8	moderate pain	analgesic pump analgesia, 3 days	omidazole+ceftriaxone 3 days	no
118	male	15	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	no	4	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, omidazole 3 days	no
119	female	23	acute suppurative appendicitis	ear acupuncture	no	7	mild pain	tramadol analgesia, 1 day	omidazole+ceftriaxone 4 days	plasma drainage tube, 4 days
120	female	25	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture	no	7	mild pain	no analgesia	omidazole+ceftriaxone 5 days	plasma drainage tube, 4 days
121	female	34	acute suppurative appendicitis with periappendiceal mesentery	ear acupuncture, acupoint plaster, 4 days	no	5	mild pain	no analgesia	omidazole 3 days	no
122	male	54	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	intestinal stickiness	8	moderate pain	analgesic pump analgesia, 3 days, tramadol once	ceftriaxone, omidazole 6 days; levofloxacin 2 days	plasma drainage tube, 3 days
123	female	48	acute suppurative appendicitis	ear acupuncture	no	6	mild pain	no analgesia	omidazole+ceftriaxone 3 days	plasma drainage tube, 3 days
124	female	47	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture	no	7	mild pain	no analgesia	omidazole+ceftriaxone 4 days	plasma drainage tube, 3 days
125	female	67	acute suppurative appendicitis with periappendiceal mesentery	ear acupuncture, acupoint plaster, 6 days	no	7	mild pain	no analgesia	ceftriaxone 5 days	plasma drainage tube, 5 days
126	male	42	acute suppurative appendicitis with periappendiceal mesentery	partitioned moxibustion treatment, acupoint plaster, 4 days	no	6	moderate pain	tramadol analgesia, 1 day	ceftriaxone+omidazole 3 days	no
127	male	7	acute gangrenous appendicitis accompanied by perforation and localized peritonitis	ear acupuncture, acupoint plaster, 6 days	no	11	no pain	no analgesia	头孢呋辛 6 days	plasma drainage tube, 3 days
128	female	69	chronic appendicitis acute attack	no	no	9	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, omidazole 7 days	no
129	female	31	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	partitioned moxibustion therapy, 3 days	no	4	moderate pain	analgesic pump analgesia, 3 days	ceftriaxone, omidazole 3 days	no
130	male	74	acute gangrenous appendicitis accompanied by appendicitis	ear acupuncture, acupoint plaster, 4 days	no	6	no pain	no analgesia	omidazole+ceftriaxone 4 days	plasma drainage tube, 3 days
131	female	56	acute suppurative appendicitis accompanied by appendicitis	ear acupuncture, acupoint plaster, 4 days	no	5	mild pain	no analgesia	ceftriaxone+omidazole 4 days	no
132	male	63	acute suppurative appendicitis	ear acupuncture	no	6	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, omidazole 5 days	no
133	male	60	acute suppurative appendicitis	ear acupuncture	no	6	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, omidazole 5 days	no
134	female	66	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, acupoint plaster, 6 days	no	9	mild pain	no analgesia	omidazole+ceftriaxone 8 days	plasma drainage tube, 5 days
135	male	81	acute simple appendicitis accompanied by peripheral abscess	ear acupuncture, acupoint plaster, partitioned moxibustion treatment, 9 days	no	9	no pain	no analgesia	ceftriaxone+omidazole 8 days	plasma drainage tube, 5 days
136	female	42	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	no	8	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, omidazole 5 days	plasma drainage tube, 3 days
137	female	75	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, acupoint plaster, 6 days	no	10	mild pain	no analgesia	omidazole+ceftriaxone 9 days	plasma drainage tube, 9 days
138	female	82	acute suppurative appendicitis with periappendiceal mesentery	ear acupuncture, acupoint plaster, 6 days	no	8	no pain	no analgesia	ceftriaxone+omidazole 7 days	plasma drainage tube, 3 days
139	female	64	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, acupoint plaster, 2 days	no	6	mild pain	no analgesia	omidazole+ceftriaxone 5 days	plasma drainage tube, 3 days

140	female	13	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	8	severe pain	analgesic pump analgesia, 3 days, tramadol once	cefizoxime, ornidazole 5 days	no
141	female	25	acute suppurative appendicitis with periappendical mesentery	Chinese herbal wet and hot compress, acupoint plaster, ear acupuncture, 4 days	no	5	mild pain	no analgesia	cefizoxime+ornidazole 4 days	no
142	male	33	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	no	9	severe pain	analgesic pump analgesia, 3 days, tramadol once	cefizoxime, ornidazole, levofloxacin 5 days	plasma drainage tube, 3 days
143	female	62	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, acupoint plaster, 2 days	no	10	no pain	no analgesia	ornidazole+cefizoxime 7 days	plasma drainage tube, 4 days
144	male	10	acute suppurative appendicitis with periappendical mesentery	Chinese herbal wet and hot compress, acupoint plaster, ear acupuncture, 4 days	no	5	mild pain	no analgesia	cefizoxime 5 days	plasma drainage tube, 4 days
145	male	60	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, acupoint plaster, 4 days	no	6	mild pain	no analgesia	ornidazole+cefizoxime 4 days	no
146	female	55	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	8	moderate pain	analgesic pump analgesia, 3 days	cefizoxime, ornidazole 5 days	plasma drainage tube, 3 days
147	male	28	acute suppurative appendicitis accompanied by peritonitis	Chinese herbal wet and hot compress, acupoint plaster, ear acupuncture, 4 days	no	6	moderate pain	tramadol analgesia, 1 day	cefizoxime+ornidazole 5 days	plasma drainage tube, 4 days
148	male	52	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, acupoint plaster, 4 days	no	6	no pain	no analgesia	ornidazole+cefizoxime 4 days	no
149	female	37	acute suppurative appendicitis	no	no	9	moderate pain	analgesic pump analgesia, 3 days, tramadol once	cefizoxime, ornidazole 6 days	plasma drainage tube, 2 days
150	female	40	acute suppurative appendicitis with periappendical mesentery	Chinese herbal wet and hot compress, acupoint plaster, ear acupuncture, 1, 2 days	no	13	mild pain	no analgesia	cefizoxime+ornidazole 10 days	plasma drainage tube, 4 days
151	female	62	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	no	6	severe pain	analgesic pump analgesia, 3 days	cefizoxime, ornidazole 5 days	no
152	male	47	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, acupoint plaster, 4 days	no	7	mild pain	no analgesia	ornidazole 3 days	plasma drainage tube, 5 days
153	female	57	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	ear acupuncture, acupoint plaster, partitioned moxibustion treatment, 6 days	no	8	no pain	no analgesia	cefizoxime+ornidazole 7 days	plasma drainage tube, 5 days
154	male	39	acute suppurative appendicitis	ear acupuncture, acupoint plaster, 3 days	no	6	no pain	no analgesia	ornidazole+cefizoxime 4 days	no
155	male	28	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, acupoint plaster, 2 days	no	3	mild pain	no analgesia	ornidazole 3 days	no
156	male	62	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	8	moderate pain	analgesic pump analgesia, 3 days	cefizoxime, ornidazole 5 days	no
157	female	65	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	no	11	severe pain	analgesic pump analgesia, 3 days, tramadol once	cefizoxime, ornidazole, levofloxacin 5 days	plasma drainage tube, 3 days
158	male	23	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, acupoint plaster, 6 days	no	7	mild pain	no analgesia	ornidazole+cefizoxime 5 days	plasma drainage tube, 4 days
159	male	27	acute suppurative appendicitis with fecal stone embedding	ear acupuncture, acupoint plaster, 6 days	no	6	moderate pain	tramadol analgesia, 1 day	cefizoxime 6 days	plasma drainage tube, 5 days
160	male	63	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	partitioned moxibustion treatment, acupoint plaster 2 times	intestinal stickiness	10	moderate pain	analgesic pump analgesia, 3 days	cefizoxime 4 days	no
161	male	63	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, acupoint plaster, 3 days	no	5	mild pain	no analgesia	ornidazole 1 day	no
162	female	16	acute suppurative appendicitis	ear acupuncture, acupoint plaster, partitioned moxibustion treatment, 4 days	no	5	mild pain	no analgesia	ornidazole 5 days	plasma drainage tube, 5 days
163	male	70	gangrenous appendicitis	moxibustion treatment 2 times	no	6	severe pain	analgesic pump analgesia, 3 days	cefizoxime, ornidazole 4 days	no
164	male	34	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, acupoint plaster, 3 days	no	5	mild pain	no analgesia	ornidazole+cefizoxime 3 days	no
165	male	57	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, acupoint plaster, 6 days	no	6	no pain	no analgesia	cefizoxime 5 days	plasma drainage tube, 5 days
166	female	67	acute suppurative appendicitis	ear acupuncture, acupoint plaster, 4 days	no	5	no pain	no analgesia	ornidazole+cefizoxime 3 days	no

167	male	54	acute suppurative appendicitis accompanied by peripheral peritonitis	ear acupuncture, acupoint plaster, partitioned moxibustion treatment, 6 days	no	6	no pain	no analgesia	cefizoxime+omidazole 5 days	no
168	female	60	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	intestinal stickiness	11	severe pain	analgesic pump analgesia, 3 days	cefizoxime, omidazole 8 days	plasma drainage tube, 3 days
169	female	42	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	partitioned moxibustion treatment, acupoint plaster 2 times	no	7	severe pain	analgesic pump analgesia, 3 days	cefizoxime, omidazole 5 days	no
170	male	17	acute suppurative appendicitis accompanied by peritonitis	partitioned moxibustion therapy, acupoint plaster, 3 days	intestinal stickiness	4	mild pain	no analgesia	omidazole+cefizoxime 3 days	no
171	male	8	acute gangrenous appendicitis accompanied by diffuse peritonitis	Chinese herbal wet and hot compress, acupoint plaster, ear acupuncture, 6 days	no	8	mild pain	no analgesia	cefizoxime+omidazole 7 days	plasma drainage tube, 6 days
172	female	48	acute suppurative appendicitis with periaepical mesentery	ear acupuncture, acupoint plaster, 6 days	no	7	mild pain	no analgesia	cefizoxime+omidazole 7 days	no
173	male	21	acute suppurative appendicitis accompanied by peritonitis	partitioned moxibustion therapy, acupoint plaster, 6 days	no	11	mild pain	no analgesia	omidazole+cefizoxime 8 days	plasma drainage tube, 5 days
174	male	6	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	8	moderate pain	analgesic pump analgesia, 3 days, tramadol once	cefizoxime, omidazole 5 days	no
175	female	53	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment, acupoint plaster 2 times	no	7	moderate pain	no analgesia	cefizoxime, omidazole 4 days	no
176	male	22	acute suppurative appendicitis with periaepical mesentery	ear acupuncture, partitioned moxibustion treatment, acupoint plaster, 6 days	no	6	no pain	no analgesia	cefizoxime+omidazole 5 days	no
177	male	49	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, partitioned moxibustion therapy, acupoint plaster, 6 days	no	7	no pain	no analgesia	omidazole+cefizoxime 2 days	no
178	male	41	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	moxibustion treatment 2 times	no	10	severe pain	analgesic pump analgesia, 3 days, tramadol analgesia, 1 day	cefizole, omidazole 5 days	plasma drainage tube, 3 days
179	female	59	acute suppurative appendicitis accompanied by perforation and localized peritonitis	ear acupuncture, acupoint plaster, 6 days	no	8	severe pain	no analgesia	cefizoxime+omidazole 7 days	plasma drainage tube, 5 days
180	female	33	acute gangrenous appendicitis	partitioned moxibustion therapy, acupoint plaster, 3 days	no	6	mild pain	no analgesia	omidazole+cefizoxime 4 days	no
181	male	22	chronic appendicitis acute attack	ear acupuncture, acupoint plaster, 3 days	no	3	mild pain	no analgesia	omidazole 3 days	no
182	male	30	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	ear acupuncture, acupoint plaster, 3 days	no	5	mild pain	no analgesia	omidazole+cefizoxime 4 days	plasma drainage tube, 3 days
183	female	57	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	intestinal stickiness	8	severe pain	analgesic pump analgesia, 3 days	cefizoxime, omidazole 5 days	no
184	male	20	acute suppurative appendicitis accompanied by appendicitis	ear acupuncture, acupoint plaster, 4 days	no	4	mild pain	no analgesia	cefizoxime 4 days	no
185	male	50	acute suppurative appendicitis	ear acupuncture, acupoint plaster, 3 days	no	5	mild pain	no analgesia	omidazole+cefizoxime 4 days	no
186	male	22	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	5	moderate pain	analgesic pump analgesia, 3 days	cefizoxime, omidazole 4 days	plasma drainage tube, 2 days
187	female	49	acute suppurative appendicitis	ear acupuncture, acupoint plaster, 4 days	no	4	mild pain	no analgesia	cefizoxime 3 days	no
188	female	14	acute suppurative appendicitis	acupoint plaster, 4 days	no	5	mild pain	no analgesia	cefizoxime+omidazole 5 days	plasma drainage tube, 3 days
189	female	50	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	acupoint plaster, partitioned moxibustion treatment 2 times	no	8	severe pain	analgesic pump analgesia, 3 days	cefizoxime, omidazole 4 days	no
190	male	18	acute suppurative appendicitis	ear acupuncture, acupoint plaster, 4 days	no	4	no pain	no analgesia	cefizoxime+omidazole 4 days	plasma drainage tube, 4 days
191	female	87	acute suppurative appendicitis accompanied by appendicitis	ear acupuncture, partitioned moxibustion therapy, acupoint plaster, 9 天	no	16	mild pain	no analgesia	omidazole+cefizoxime 10 天	plasma drainage tube, 9 days
192	male	32	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	acupoint plaster, partitioned moxibustion treatment 2 times	no	7	severe pain	analgesic pump analgesia, 3 days	cefizoxime, omidazole 4 days	no
193	female	50	acute suppurative appendicitis accompanied by appendicitis	ear acupuncture, acupoint plaster, 6 days	no	9	mild pain	no analgesia	cefizoxime+omidazole 9 days	plasma drainage tube, 4 days
194	male	6	acute suppurative appendicitis accompanied by appendicitis	partitioned moxibustion therapy, acupoint plaster, 3 days	no	6	mild pain	no analgesia	cefizoxime 5 days	plasma drainage tube, 4 days
195	male	33	acute suppurative appendicitis accompanied by peripheral mesangial inflammation.	no	no	9	severe pain	analgesic pump analgesia, 3 days, tramadol once	cefizole, omidazole 2 days	no

196	female	57	acute suppurative appendicitis accompanied by appendicitis	ear acupuncture, acupoint plaster, partitioned moxibustion treatment, 6 days	no	7	mild pain	no analgesia	ceftriaxone 7 days	plasma drainage tube, 5 days
197	male	34	acute suppurative appendicitis accompanied by localized peritonitis	partitioned moxibustion therapy, acupoint plaster, 3 days	no	4	mild pain	no analgesia	omnidazole+ceftriaxone 3 days	plasma drainage tube, 3 days
198	male	44	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	no	no	8	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 4 days	no
199	male	56	acute suppurative appendicitis with periappendiceal mesentery	ear acupuncture, acupoint plaster, 6 days	no	7	no pain	no analgesia	ceftriaxone+ornidazole 6 days	plasma drainage tube, 5 days
200	female	45	acute suppurative appendicitis	partitioned moxibustion therapy, acupoint plaster, 2 days	no	3	mild pain	no analgesia	ornidazole+ceftriaxone 2 days	no
201	female	22	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	no	no	6	moderate pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 4 days	no
202	female	31	acute suppurative appendicitis accompanied by abscess around the appendix	ear acupuncture, acupoint plaster, 4 days	no	4	mild pain	no analgesia	ceftriaxone+ornidazole 4 days	no
203	male	11	chronic appendicitis acute attack	partitioned moxibustion therapy, acupoint plaster, 3 days	no	4	no pain	no analgesia	ceftriaxone 3 days	no
204	female	11	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	no	no	6	severe pain	dizocin injection+flufenamil citrate injection analgesia, 3 days	ceftriaxone, ornidazole 3 days	no
205	male	14	acute simple appendicitis with fecal stone embedding	ear acupuncture	no	7	mild pain	no analgesia	ceftriaxone 5 days	plasma drainage tube, 5 days
206	male	15	acute simple appendicitis with fecal stone embedding	ear acupuncture	no	7	mild pain	no analgesia	ceftriaxone 7 days	plasma drainage tube, 5 days
207	female	67	acute suppurative appendicitis accompanied by localized peritonitis	ear acupuncture, partitioned moxibustion therapy, acupoint plaster, 6 days	no	7	no pain	no analgesia	ornidazole+ceftriaxone 5 days	no
208	female	28	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	no	no	7	moderate pain	analgesic pump analgesia, 3 days, tramadol once	ceftriaxone, ornidazole 2 days	no
209	female	61	acute suppurative appendicitis accompanied by perforation and localized peritonitis	ear acupuncture, acupoint plaster, 6 days	intestinal stickiness	6	no pain	no analgesia	ceftriaxone+ornidazole 6 days	plasma drainage tube, 3 days
210	female	81	acute suppurative appendicitis	partitioned moxibustion therapy, acupoint plaster, 3 days	no	5	no pain	no analgesia	ornidazole+ceftriaxone 3 days	no
211	female	25	chronic appendicitis acute attack,	no	no	7	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 5 days	plasma drainage tube, 3 days
212	male	49	acute suppurative appendicitis accompanied by peritonitis	ear acupuncture, partitioned moxibustion therapy, acupoint plaster, 3 days	no	4	no pain	no analgesia	ornidazole+ceftriaxone 3 days	no
213	male	68	acute simple appendicitis	ear acupuncture, acupoint plaster, scraping therapy, 4 days	no	18	no pain	no analgesia	cefoperazone 2 days	no
214	male	33	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	no	no	4	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 3 days	no
215	female	37	acute suppurative appendicitis	ear acupuncture, acupoint plaster, moxibustion treatment, 3 days	no	4	mild pain	no analgesia	ceftriaxone+ornidazole 4 days	no
216	female	35	acute suppurative appendicitis accompanied by peritonitis	moxibustion therapy, acupoint plaster, 6 days	no	7	mild pain	no analgesia	ornidazole+ceftriaxone 5 days	no
217	male	25	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	no	no	6	moderate pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 4 days	no
218	female	74	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	moxibustion treatment 2 times	intestinal stickiness	9	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 6 days	plasma drainage tube, 3 days
219	female	80	acute suppurative appendicitis accompanied by appendicitis	ear acupuncture, acupoint plaster, partitioned moxibustion treatment, 4 days	no	6	mild pain	no analgesia	ornidazole 3 days	plasma drainage tube, 3 days
220	female	42	acute gangrenous appendicitis accompanied by perforation and localized peritonitis	partitioned moxibustion therapy, acupoint plaster, 6 days	no	9	mild pain	no analgesia	ornidazole+ceftriaxone 6 days	plasma drainage tube, 7 days
221	female	46	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	moxibustion treatment 2 times	no	7	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 5 days	no
222	male	13	acute suppurative appendicitis accompanied by appendicitis	ear acupuncture, acupoint plaster, 3 days	no	5	no pain	no analgesia	ornidazole 4 days	no

223	female	68	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	acupoint plaster, partitioned moxibustion treatment, 6 days	no	8	mild pain	tramadol analgesia, 1 day	ceftriaxone+ornidazole 4 days	plasma drainage tube, 6 days
224	male	24	acute simple appendicitis	partitioned moxibustion treatment, acupoint plaster, 4 days	no	5	mild pain	analgesic pump analgesia, 3 days	ceftriaxone+ornidazole 4 days	no
225	female	13	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	moxibustion treatment 2 times	no	6	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 5 days	plasma drainage tube, 3 days
226	male	33	acute suppurative appendicitis accompanied by peritonitis	moxibustion therapy, acupoint plaster, 3 days	no	5	no pain	no analgesia	ornidazole+ceftriaxone 4 days	no
227	male	73	acute appendicitis accompanied by localized peritonitis	moxibustion treatment, ear acupointure, acupoint plaster, 4 days	no	4	mild pain	no analgesia	cefazidime+ornidazole 3 days	no
228	male	17	chronic appendicitis acute attack	ear acupointure, acupoint plaster, 3 days	no	7	no pain	analgesic pump analgesia, 3 days, tramadol once	ornidazole+ceftriaxone 6 days	no
229	male	62	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	no	no	8	moderate pain	analgesic pump analgesia, 3 days	ceftriaxone, levofloxacin 5 days	no
230	male	15	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	moxibustion treatment 2 times	no	7	moderate pain	cefazidime, ornidazole 5 days	ceftriaxone, ornidazole 3 days	no
231	male	37	acute appendicitis	ear acupointure, acupoint plaster, scraping therapy, 4 days	no	4	mild pain	no analgesia	ceftriaxone 3 days	no
232	female	46	acute suppurative appendicitis accompanied by appendicitis	partitioned moxibustion therapy, ear acupointure, acupoint plaster, 4 days	no	5	mild pain	no analgesia	ornidazole+ceftriaxone 4 days	plasma drainage tube, 4 days
233	male	53	acute suppurative appendicitis accompanied by peritonitis	moxibustion treatment, ear acupointure, acupoint plaster, 4 days	no	5	mild pain	no analgesia	cefazidime+ornidazole 3 days	no
234	male	14	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	moxibustion treatment 2 times	no	6	moderate pain	analgesic pump analgesia, 3 days	cefazidime, ornidazole 4 days	plasma drainage tube, 2 days
235	female	57	acute suppurative appendicitis accompanied by peritonitis	partitioned moxibustion therapy, ear acupointure, acupoint plaster, 4 days	no	17	mild pain	no analgesia	cefazidime, ornidazole 9 days	plasma drainage tube, 3 days
236	female	19	acute simple appendicitis	moxibustion therapy, acupoint plaster, 6 days	no	11	mild pain	no analgesia	ornidazole	no
237	female	34	acute suppurative appendicitis accompanied by appendicitis	partitioned moxibustion therapy, acupoint plaster, 4 days	no	7	no pain	analgesic pump analgesia, 3 days	cefazidime+ceftriaxone 5 days	plasma drainage tube, 3 days
238	male	36	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	no	no	6	severe pain	analgesic pump analgesia, 3 days	ceftriaxone 4 days	no
239	female	29	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	partitioned moxibustion treatment, acupoint plaster, 4 days	no	4	no pain	no analgesia	ornidazole 3 days	no
240	female	15	acute suppurative appendicitis accompanied by localized peritonitis	partitioned moxibustion therapy, acupoint plaster, ear acupointure, 4 days	no	7	mild pain	analgesic pump analgesia, 3 days	ornidazole+ceftriaxone 5 days	plasma drainage tube, 3 days
241	male	36	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	no	no	6	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 5 days	no
242	male	46	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	partitioned moxibustion treatment, acupoint plaster, 4 days	no	5	mild pain	no analgesia	ceftriaxone+ornidazole 4 days	no
243	male	62	acute suppurative appendicitis accompanied by peripheral mesangial inflammation,	partitioned moxibustion treatment 2 times	no	7	moderate pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 5 days	no
244	male	7	chronic appendicitis acute attack	ear acupointure, partitioned moxibustion therapy, acupoint plaster, 4 days	no	10	mild pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 6 days	plasma drainage tube, 2 days
245	female	41	acute suppurative appendicitis accompanied by appendicitis	ear acupointure, acupoint plaster, 4 days	no	8	no pain	no analgesia	cefazidime+ornidazole 3 days	plasma drainage tube, 3 days
246	female	60	acute gangrenous appendicitis accompanied by peripheral mesangial inflammation,	no	no	8	severe pain	analgesic pump analgesia, 3 days	ceftriaxone, ornidazole 5 days	no
247	female	57	acute suppurative appendicitis accompanied by appendicitis	ear acupointure, acupoint plaster, 6 days	no	16	mild pain	no analgesia	ornidazole 3 days	no
248	male	10	acute suppurative appendicitis and perforation accompanied by peripheral mesangial inflammation	ear acupointure, acupoint plaster, partitioned moxibustion treatment, 4 days	no	4	mild pain	no analgesia	cefazidime+ornidazole	no
249	female	74	acute suppurative appendicitis and perforation accompanied by peripheral mesangial inflammation	ear acupointure, acupoint plaster, 4 days	no	6	mild pain	no analgesia	cefazidime+ornidazole	no

250	male	9	acute simple appendicitis with fecal stone embolizing	ear acupuncture	no	5	moderate pain	tramadol analgesia, 1 day	ceftazidime+ornidazole	no
251	male	12	acute simple appendicitis	ear acupuncture	no	5	moderate pain	tramadol analgesia, 2 day	ceftazidime+ornidazole	no
252	female	17	acute appendicitis	ear acupuncture, acupoint plaster, moxibustion treatment, 3 days	no	10	mild pain	no analgesia	ceftazidime	no
253	male	57	acute suppurative appendicitis accompanied by diffuse peritonitis	ear acupuncture, acupoint plaster, partitioned moxibustion treatment, scraping therapy, 3 days	no	10	mild pain	tramadol analgesia, 1 day	ceftazidime+ornidazole 4 days	plasma drainage tube, 4 days
254	male	79	acute gangrenous appendicitis accompanied by diffuse peritonitis	ear acupuncture	no	8	moderate pain	tramadol analgesia, 1 day	ceftazidime 3 days	plasma drainage tube, 4 days
255	male	72	acute gangrenous appendicitis accompanied by diffuse peritonitis	ear acupuncture	no	7	moderate pain	tramadol analgesia, 3 day	ceftazidime 3 days	plasma drainage tube, 6 days
256	male	48	acute suppurative appendicitis accompanied by peripheral mesangial inflammation	ear acupuncture, acupoint plaster, partitioned moxibustion treatment, 3 days	no	6	no pain	no analgesia	ornidazole 1 day	no
257	male	21	acute suppurative appendicitis and perforation accompanied by peripheral mesangial inflammation	ear acupuncture, acupoint plaster, partitioned moxibustion treatment, 6 days	no	6	no pain	no analgesia	ornidazole 1 day	no
258	female	61	acute suppurative appendicitis	ear acupuncture, partitioned moxibustion treatment, acupoint plaster, 3 days	no	6	mild pain	tramadol analgesia, 1 day	ornidazole+ceftazidime 2 days	no
259	male	52	acute suppurative appendicitis accompanied by appendicitis	moxibustion treatment, ear acupuncture, acupoint plaster, 4 days	no	7	moderate pain	tramadol analgesia, 1 day	ceftazidime+ornidazole 3 days	plasma drainage tube, 5 days
260	female	70	acute suppurative appendicitis accompanied by perforation and localized peritonitis	ear acupuncture, partitioned moxibustion treatment, acupoint plaster, 4 days	no	7	severe pain	tramadol analgesia, 1 day	ceftazidime+ornidazole 2 days	plasma drainage tube, 4 days
261	male	51	acute suppurative appendicitis with periappendical mesentery	moxibustion treatment, ear acupuncture, acupoint plaster, 4 days	intestinal stickiness	6	mild pain	no analgesia	ceftazidime+ornidazole 3 days	no
262	female	34	acute suppurative appendicitis accompanied by peritonitis	partitioned moxibustion treatment, ear acupuncture, acupoint plaster, 4 days	no	5	mild pain	no analgesia	ceftazidime+ornidazole 5 days	no